

570 Solid

Single step, sit-stand height electrically adjustable

Height (mm)	min. 705 / max 1205
Stroke (mm)	500
Speed (mm/s)	39
Width Cabletop (mm)	1600 / 1800 / 2000
Depth Cabletop (mm)	800 / 800 / 800
Length of feet (mm)	750
Column size (mm)	100 x 60
Dynamic capacity (kg)	80
Noise dB (A)	< 55
Power	230-240 V / standby (W) 0,3
	50 Hz / max. 8A
Plug type	Replaceable
Gross Weight Leg Units (kg)	29
Gross Weight Cabletops (kg)	18 / 20 / 22

Solid Cabletop 1600

Purchase code

Black ●	EL-CT-ATA-160080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-160080-EX61-EU-PLG50
White ○	EL-CT-ATA-160080-EX61-EU-EDW50

Solid Cabletop 1800

Purchase code

Black ●	EL-CT-ATA-180080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-180080-EX61-EU-PLG50
White ○	EL-CT-ATA-180080-EX61-EU-EDW50

Solid Cabletop 2000


Purchase code

Black ●	EL-CT-ATA-200080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-200080-EX61-EU-PLG50
White ○	EL-CT-ATA-200080-EX61-EU-EDW50

Solid Leg Units

Purchase code

Black ●	EL-CTL-BSU-T-570-0000-EU-BLK00
Silver ●	EL-CTL-BSU-T-570-0000-EU-SIL00
White ○	EL-CTL-BSU-T-570-0000-EU-WHI00



670 Solid

Dual step, sit-stand height electrically adjustable

Height (mm)	min. 640 / max 1300
Stroke (mm)	660
Speed (mm/s)	39
Width Cabletop (mm)	1600 / 1800 / 2000
Depth Cabletop (mm)	800
Length of feet (mm)	750
Column size (mm)	100 x 60
Dynamic capacity (kg)	80
Noise dB (A)	< 55
Power	230-240 V / standby (W) 0,3
	50 Hz / max. 8A
Plug type	Replaceable
Gross Weight Leg Units (kg)	30
Gross Weight Cabletops (kg)	18 / 20 / 22

Solid Cabletop 1600

Purchase code

Black ●	EL-CT-ATA-160080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-160080-EX61-EU-PLG50
White ○	EL-CT-ATA-160080-EX61-EU-EDW50

Solid Cabletop 1800

Purchase code

Black ●	EL-CT-ATA-180080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-180080-EX61-EU-PLG50
White ○	EL-CT-ATA-180080-EX61-EU-EDW50

Solid Cabletop 2000


Purchase code

Black ●	EL-CT-ATA-200080-EX61-EU-OYX50
Silver ●	EL-CT-ATA-200080-EX61-EU-PLG50
White ○	EL-CT-ATA-200080-EX61-EU-EDW50

Solid Leg Units

Purchase code

Black ●	EL-CTL-BSU-T-670-0000-EU-BLK00
Silver ●	EL-CTL-BSU-T-670-0000-EU-SIL00
White ○	EL-CTL-BSU-T-670-0000-EU-WHI00



270 Liquid

Dual step, sit-stand height electrically adjustable

Height (mm)	min. 620 / max 1280
Stroke (mm)	660
Speed (mm/s)	39
Width Cabletop (mm)	2186
Depth Cabletop (mm)	1200
Length of feet (mm)	750
Column size(mm)	64 x 130
Dynamic capacity(kg)	150
Noise dB(A)	< 55
Power	220-240 V / standby (W) 0,3
	50-60 Hz / max. 8A
Plug type	Replaceable
Gross Weight Leg Units (kg)	45
Gross Weight Cabletop (kg)	31

Liquid Cabletop	Purchase code
White <input type="radio"/>	EL-CT-BTA-218120-SXX1-EDW50

Liquid Leg Units	Purchase code
White <input type="radio"/>	EL-CTL-BLB-T-270-BOX1-EU-WHI00
	EL-CTL-BLB-T-270-BOX2-EU-WHI00

