



CREATING EFFECTIVE WORKING ENVIRONMENTS


## Glide II™




BG20821SDSBST (plain doors)  
BG20821PDSBST (perforated doors)  
BG20821ADSBST (acoustic doors)



BG20823SDSBST (plain doors)  
BG20823PDSBST (perforated doors)  
BG20823ADSBST (acoustic doors)



BG20834SDSBST (plain doors)  
BG20834PDSBST (perforated doors)  
BG20834ADSBST (acoustic doors)




BG20846SDSBST (plain doors)  
BG20846PDSBST (perforated doors)  
BG20846ADSBST (acoustic doors)


800mm (31.5") wide, 470mm (18.5") deep		Price Group 37	
code	description	height mm	internal height mm
BG20821SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG20821PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG20821ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG20823SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG20823PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG20823ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG20834SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG20834PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG20834ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG20846SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG20846PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG20846ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56")

Height is adjustable up to 24mm (1") in total


## Glide II™




BG21021SDSBST (plain doors)  
BG21021PDSBST (perforated doors)  
BG21021ADSBST (acoustic doors)



BG21023SDSBST (plain doors)  
BG21023PDSBST (perforated doors)  
BG21023ADSBST (acoustic doors)




BG21034SDSBST (plain doors)  
BG21034PDSBST (perforated doors)  
BG21034ADSBST (acoustic doors)




BG21046SDSBST (plain doors)  
BG21046PDSBST (perforated doors)  
BG21046ADSBST (acoustic doors)

1000mm (39.4") wide, 470mm (18.5") deep			Price Group 37
code	description	height mm	internal height mm
BG21021SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21021PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21021ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21023SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21023PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21023ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21034SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21034PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21034ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21046SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21046PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21046ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56")


Height is adjustable up to 24mm (1") in total




BG21221SDSBST (plain doors)  
BG21221PDSBST (perforated doors)  
BG21221ADSBST (acoustic doors)



BG21223SDSBST (plain doors)  
BG21223PDSBST (perforated doors)  
BG21223ADSBST (acoustic doors)



BG21234SDSBST (plain doors)  
BG21234PDSBST (perforated doors)  
BG21234ADSBST (acoustic doors)




BG21246SDSBST (plain doors)  
BG21246PDSBST (perforated doors)  
BG21246ADSBST (acoustic doors)


1200mm (47.2") wide, 470mm (18.5") deep			Price Group 37
code	description	height mm	internal height mm
BG21221SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21221PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21221ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21223SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21223PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21223ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21234SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21234PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21234ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21246SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21246PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21246ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56.1")

Height is adjustable up to 24mm (1") in total


# Glide II™




BG21621SDSBST (plain doors)  
BG21621PDSBST (perforated doors)  
BG21621ADSBST (acoustic doors)



BG21623SDSBST (plain doors)  
BG21623PDSBST (perforated doors)  
BG21623ADSBST (acoustic doors)




BG21634SDSBST (plain doors)  
BG21634PDSBST (perforated doors)  
BG21634ADSBST (acoustic doors)




BG21646SDSBST (plain doors)  
BG21646PDSBST (perforated doors)  
BG21646ADSBST (acoustic doors)

1600mm (63") wide, 470mm (18.5") deep			Price Group 37
code	description	height mm	internal height mm
BG21621SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21621PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21621ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG21623SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21623PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21623ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG21634SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21634PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21634ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG21646SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21646PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG21646ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56")


Height is adjustable up to 24mm (1") in total  
Glide II™ units 1600mm (63") and over will require on-site assembly




BG22021SDSBST (plain doors)  
BG22021PDSBST (perforated doors)  
BG22021ADSBST (acoustic doors)



BG22023SDSBST (plain doors)  
BG22023PDSBST (perforated doors)  
BG22023ADSBST (acoustic doors)



BG22034SDSBST (plain doors)  
BG22034PDSBST (perforated doors)  
BG22034ADSBST (acoustic doors)




BG22046SDSBST (plain doors)  
BG22046PDSBST (perforated doors)  
BG22046ADSBST (acoustic doors)


2000mm (78.4") wide, 470mm (18.5") deep			Price Group 37
code	description	height mm	internal height mm
BG22021SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22021PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22021ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22023SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22023PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22023ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22034SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22034PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22034ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22046SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG22046PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG22046ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56")

Height is adjustable up to 24mm (1") in total  
Glide II™ units 1600mm (63") and over will require on-site assembly


## Glide II™




BG21621SDSBST (plain doors)  
BG21621PDSBST (perforated doors)  
BG21621ADSBST (acoustic doors)



BG21623SDSBST (plain doors)  
BG21623PDSBST (perforated doors)  
BG21623ADSBST (acoustic doors)



BG21634SDSBST (plain doors)  
BG21634PDSBST (perforated doors)  
BG21634ADSBST (acoustic doors)










BG21646SDSBST (plain doors)  
BG21646PDSBST (perforated doors)  
BG21646ADSBST (acoustic doors)

2400mm (94.5") wide, 470mm (18.5") deep			Price Group 37
code	description	height mm	internal height mm
BG22421SDSBST	plain doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22421PDSBST	perforated doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22421ADSBST	acoustic doors, plain back, steel top	743 (29.2")	665 (26.2")
BG22423SDSBST	plain doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22423PDSBST	perforated doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22423ADSBST	acoustic doors, plain back, steel top	807 (31.8")	701 (27.6")
BG22434SDSBST	plain doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22434PDSBST	perforated doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22434ADSBST	acoustic doors, plain back, steel top	1149 (45.2")	1043 (41.1")
BG22446SDSBST	plain doors, plain back, steel top	1529 (60.2")	1423 (56")
BG22446PDSBST	perforated doors, plain back, steel top	1529 (60.2")	1423 (56")
BG22446ADSBST	acoustic doors, plain back, steel top	1529 (60.2")	1423 (56")

Glide II™ units 1600mm (63") and over will require on-site assembly

## Glide II™ internal options

internal options			Price Group 37
internals	code	description	width
	G2IC08SSUPS G2IC10SSUPS G2IC12SSUPS	slotted shelf with undershelf filing slotted shelf with undershelf filing slotted shelf with undershelf filing	800 (31.5") 1000 (39.4") 1200 (47.2")
	G2IC08RFPS G2IC10RFPS G2IC12RFPS	roll out filing frame roll out filing frame roll out filing frame includes 1 cross rail	800 (31.5") 1000 (39.4") 1200 (47.2")
	G2DB08 G2DB10 G2DB12	drawer base (includes 3 drawer dividers) drawer base (includes 3 drawer dividers) drawer base (includes 3 drawer dividers) to fit into roll out filing frame 89mm (3.5") high	800 (31.5") 1000 (39.4") 1200 (47.2")
	G2DBDVP3PS	drawer base divider (pack of 3)	-
	G2IC21A408SSUPS G2IC21A410SSUPS G2IC21A412SSUPS	21 module unit shelf 21 module unit shelf 21 module unit shelf allows 2 rows of A4 vertical filing for the 21mod unit	800 (31.5") 1000 (39.4") 1200 (47.2")
	DSB4	drop In Storage Bin to fit into roll out filing frame 181mm (7.2") wide x 246mm (9.7") high	-
	TWSHDVP4PS	steel shelf dividers (clip on design) (pack of 4)	-
	TWISP6PS	plastic intershelves - (pack of 6) to make pigeon hole arrangement	-
	TWSHDVP4PS TWISP6PS	pigeon hole set	-

All internals supplied are supplied in BLACK (except plastic shelf dividers & pigeon hole set supplied in translucent plastic)  
Roll out filing frames can only be used in Glide II™ units 1600 (63") mm wide and above  
Additional cross rails available separately FBBIPFDP1

### Safety Warning

Pull out elements should only be fitted in the lower half of the cabinet.