0 Basic Fabric | C

C4

C2

C29

C6


C14

C12

C38

C73


C11

Price group:	0
Composition:	Polyester 100%
Weight:	270 g/m²
Colour fastness to light:	EN ISO 105-B02 (6–7)
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)
Pilling:	EN ISO 12945-2 (4–5)

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

0 Micro | M

Cigarette & Match

Confirmed safety

M04


M15

M54

M43

M47

M38

M07

M62

M28


M31

Price group:	0	Weight: 160 g/m²
Composition:	100%	Polyester
Abrasion resistance:	50 000	
Flammability:	EN 1021-1, EN 1021-2	
Other:	EN 71-1	safety of toys (mechanical and physical properties)
	EN 71-2	safety of toys (flammabiliity)
	EN 71-3	safety of toys (migration of certain elements)

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

0 Oban | EF

EF076

EF037

EF002

EF019


EF031

EF046

EF069

EF078

EF010

Price group:	0	
Composition:	100%	polypropylene
Weight:	230 g/m^2	
Abrasion resistance:	>30 000	Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (min. 5)	
Flammability:	EN 1021-1	

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

0 Imitation Leather | V

Easily washable

V16N

V79N

V83

V26

V62

V49

V46

V18N

V01

V28

V02N

V04

V14N

V53N

V82

Price group:	0	Weight:	460 g/m^2
Composition:	100%	PVC coated polyester	
Abrasion resistance:	>30 000	Martindale cycles	
Flammability:		EN 1021-1, EN 1021-2, BS 5852-1 *applies to colours marked with N symbol	
Other:		easy to keep clean	

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Bondai | BN

Cigarette & Match · High flame resistance · High abrasion resistance · Confirmed safety

BN4017

BN4007

BN4011

BN3012

BN3005

BN1008

BN2036

BN8033


BN8078


BN6006

BN6003

BN6016

BN8010

BN7048

Price group:	1	Weight:	250 g/m²
Composition:	100%	polyester	
Abrasion resistance:	150 000	Martindale cycles	
Colour fastness to light:	EN ISO 105-B02 (min. 6)	Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)
Pilling:	EN ISO 12945-2 (5)	Flammability:	EN 1021-1, EN 1021-2, BS 5852 Crib 5, BS 7176 medium hazard
Other:	Oeko-Tex Standard 100 certificate		

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Era | CSE

Cigarette & Match

High abrasion resistance

Confirmed safety

CSE19


CSE11

CSE14

CSE13

CSE21


CSE02

CSE01

CSE03

CSE07

CSE16

CSE20

CSE10

Price group:	1	
Composition:	100%	polyester, non metallic dyestuffs
Weight:	320 g/m^2	
Abrasion resistance:	≥100 000	Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (min. 5)	
Flammability:	EN 1021-1, EN 1021-2 BS 7176 low hazard	
Other:	Oeko-Tex Standard 100 certificate	

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Erika | EFR

Cigarette & Match

High flame resistance

Confirmed safety

ERF4007

ERF4030

ERF3005

ERF7011

ERF8033

ERF8003

ERF2036

ERF2005

ERF1006

ERF8078

ERF6098

ERF6026

ERF6005

ERF6031

ERF7026

Price group:	1	Weight:	220 g/m²
Composition:	100%		Polyester
Abrasion resistance:	70 000		Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (min. 6)	Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)
Flammability:	EN 1021-1, EN 1021-2 BS 5852 Crib 5 BS 7176 medium hazard	Other:	Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Kaiman | KN

KN250

KN615

KN32

KN143

KN75/01

KN03

KN484

KN755

KN780

KN49

KN429

Price group:	1	Weight:	420 g/m²
Composition: upper layer:	100%	polyurethane	
Composition: bottom layer:	65%	polyester	35% cotton
Abrasion resistance:	100 000	Martindale cycles	
Colour fastness to light:	EN ISO 105-B02 (min. 5)		
Colour fastness to rubbing:	EN ISO 105-X12 (dry: 5)		
Flammability:	EN 1021-1 BS 5852 Source 0		

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Lucia | YB

Cigarette & Match · Recycled origin · Environmentally friendly · Confirmed safety

YB105

YB130

YB093

YB096

YB156

YB200


YB011

YB086

YB097

YB026

YB009

YB046


YB094

YB038

YB090

Price group:	1	Weight:	260 g/m²
Composition:	100%		recycled polyester, non metallic dyestuffs
Abrasion resistance:	50 000		Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (6)	Flammability:	EN 1021-1, EN 1021-2 BS 7176 low hazard BS 476 Class 1
Other:	EU Ecolabel certificate Oeko-Tex Standard 100 certificate		

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Oflum | OL

Cigarette & Match · High abrasion resistance · Confirmed safety · Environmentally friendly

OL05

OL04

OL07

OL08

OL01

OL06


OL03

OL09

OL02

Price group:	1		
Composition:	100%	polyester	
Weight:	310 g/m^2		
Abrasion resistance:	162 500	Martindale cycles	
Colour fastness to light:	EN ISO 105-B02 (5)		
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling:	EN ISO 12945-2 (4–5)
Flammability:	EN 1021-1, EN 1021-2	Other:	EU Ecolabel certificate Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Sempre | SM

Cigarette & Match · High abrasion resistance · Confirmed safety · Environmentally friendly

SM12

SM09

SM10

SM11


SM04


SM08

SM06

SM05

SM01

SM02


SM03

SM07

Price group:	1		
Composition:	100%	polyester	
Weight:	366 g/m^2		
Abrasion resistance:	155 000 ± 5 000	Martindale cycles	
Colour fastness to light:	EN ISO 105-B02 (3–4)		
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling:	EN ISO 12945-2 (4–5)
Flammability:	EN 1021-1, EN 1021-2	Other:	EU Ecolabel certificate Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

1 Sempre Melange | SMM

Cigarette & Match · High abrasion resistance · Confirmed safety · Environmentally friendly

SMM01

SMM02

SMM03

Price group:	1		
Composition:	100%	polyester	
Weight:	375 g/m^2		
Abrasion resistance:	125 000	Martindale cycles	
Colour fastness to light:	EN ISO 105-B02 (4–5)		
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling:	EN ISO 12945-2 (5)
Flammability:	EN 1021-1, EN 1021-2	Other:	EU Ecolabel certificate Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

2 Felicity | FLG

Cigarette & Match · Recycled origin · Environmentally friendly · Confirmed safety

FLG64190

FLG64189

FLG61163

FLG62080

FLG60105

FLG60106

FLG64191

FLG61165

FLG61164

FLG68179


FLG67083

FLG67079

FLG66161

FLG60107

FLG60999

Price group:	2	Weight:	307 g/m²
Composition:	100%		post-consumer recycled polyester
Abrasion resistance:	90 000		Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (min. 5–7)		
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling:	EN ISO 12945-2 (5)
Flammability:	EN 1021-1, EN 1021-2 Calif. Bull. 117E	Other:	EU Ecolabel certificate Cradle to Cradle certificate Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

2 Mafra | MR

mesh 3D fabric


MR02

MR01

MR03


MR04

Price group:	2	
Composition:	100%	polyester
Weight:	275 g/m^2	

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

2 Radio | RD(X)F

Cigarette & Match · High flame resistance · Confirmed safety


RDF4028

RDXF3594

RDF3094

RDF3082

RDXF4528

RDXF1510

RDF1008

RDF7025

RDF7008


RDXF7508


RDXF6575


RDF6075


RDF8032


RDXF8532

RDXF8517

RDF8033

Price group:	2	Weight:	400 g/m²
Composition:	100%		polyester FR
Abrasion resistance:	80 000		Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (6)	Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)
Flammability:	EN 1021-1, EN 1021-2, BS 5852 Crib 5 BS 7176 medium hazard		
Other:	Oeko-Tex Standard 100 certificate		

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

2 Valencia | VL

Cigarette & Match · High abrasion resistance · Easily washable · Confirmed safety

Price group: 2

Composition:
upper layer: vinyl / urethane 100%
bottom layer: Hi-Loft polyester 100%

Weight: 650 g/m²

Abrasion resistance: 300 000 Martindale cycles

Colour fastness to light: EN ISO 105-B02 (5)

Flammability: EN 1021-1, EN 1021-2,

safety of toys: EN 71-3

Other: superior antibacterial, stain resistant

PERMABLOK3®

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

2 Xtreme | XR

Cigarette & Match · High flame resistance · Environmentally friendly · Recycled origin · High abrasion resistance · Confirmed safety

XR136

XR079

XR076

XR072

XR108


XR047


XR160


XR073

XR005

XR026

XR009

XR046

XR081

XR171


XR095


XR102


XR094

Price group:	2	Weight:	310 g/m²
Composition:	recycled flame retardant polyester, non metallic dyestuffs 100%		
Abrasion resistance:	≥100 000 Martindale cycles	Colour fastness to light:	EN ISO 105-B02 (6)
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4 / dry: 4)	Pilling:	EN ISO 12945-2 (5)
Flammability:	EN 1021-1, EN 1021-2 BS 5852 Crib 5 BS 7176 medium hazard BS 476 Class 1 DIN 4102 B1	Other:	EU Ecolabel certificate Oeko-Tex Standard 100 certificate

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

3 Runner | RN

mesh 3D fabric

Cigarette & Match

Confirmed safety

RN64089

RN63034


RN62064

RN61128

RN60061

RN68056

RN66140

RN66064


RN65078

RN60165


RN60011


RN60025


RN60999

Price group:	3	Weight:	318 g/m²
Composition:	100%		polyester
Abrasion resistance:	70 000		Martindale cycles
Colour fastness to light:	EN ISO 105-B02 (5–7)		
Colour fastness to rubbing:	EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling:	EN ISO 12945-2 (5)
Flammability:	EN 1021-1, EN 1021-2 Calif. Bull. 117E	Other:	Oeko-Tex Standard 100 certificate 100% free of heavy metals

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

3 Silvertex | SX

Cigarette & Match · High abrasion resistance · Easily washable · Confirmed safety

SX2012

SX0013

SX5008

SX5020


SX4001

SX2016

SX4024

SX0009

SX0001

SX4002

SX3007

SX3066

SX9001

Price group:	3			
Composition:	upper layer:	vinyl / urethane 100%	bottom layer:	Hi-Loft polyester 100%
Abrasion resistance:	Martindale cycles 300 000			
Weight:	685 g/m^2			
Flammability:	EN 1021-1, EN 1021-2 DIN 4102 B2, NF P 92-503 M2			
Other:	EN 71-3	safety of toys (migration of certain elements)		
	PERMABLOK3®	superior antibacterial, stain resistant and antifungal protection		

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

3 Step | STG
Step Melange | STMG

Cigarette & Match | High flame resistance | Environmentally friendly | Confirmed safety

STG63075

STG63012

STG62057

STG60999

STG65011


STG66018


STG67004

STG68119

STG68120

STMG63075

STMG61103

STMG61104


STMG60004


STMG67004


STMG62057


STMG68119

Price group: 3	Weight: 335 g/m²
Composition: 100% Trevira CS	
Abrasion resistance: Martindale cycles 100 000	Colour fastness to light: EN ISO 105-B02 (min. 5–7)
Colour fastness to rubbing: EN ISO 105-X12 (wet: 4–5 / dry: 4–5)	Pilling: EN ISO 12945-2 (min. 4–5)
Flammability: EN 1021-1, EN 1021-2, BS 5852 Crib 5, BS 7176 medium hazard, DIN 4102 B1, NF P 92-503-5 M1, NF D 60-013 AM 18, Calif. Bull. 117E	
Other: EU Ecolabel certificate, Oeko-Tex Standard 100 certificate	

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.

Mesh OP


OP24N


OP25

OP20

OP26

Composition:	100%	polyester
Weight:	280 g/m^2	
Abrasion resistance:	60 000	Martindale cycles
Flammability:	EN 1021-1, EN 1021-2 (OP24N only)	

EN for selected chairs, details in price lists and finishes matrix

Note! Colour patterns illustrated here may differ from the originals. Nowy Styl reserves the right to change the constructional features and finishes of products. Information about finishes applicable to each product can be found in Nowy Styl pricelists.