



EZO ON EZO

ezoBord

ds | ergonomics



ezo on ezo gives you style, depth and sound absorption while adding visual appeal, making every office space a better place to work in.

Absorb sound and create visual interest all in one simple solution...

ezoBord's 'ezo on ezo' product range layers our popular Work Zone Divider patterns on a second layer of contrasting color ezoBord creating a 3 dimensional, colorful appearance while adding significant sound absorption in your open space.

Made with recycled plastic water bottles.


STANDARD SHAPES




Bamboo



Bubble




Circles



Galaxy



Hexagonal




Lattice

PART NUMBER	WIDTH	HEIGHT	THICKNESS
Bamboo			
eo-bam-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Bubble			
eo-bub-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Circles - Standard circle is 1" (25mm) diameter			
eo-cir-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Galaxy			
eo-glx-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Hexagonal			
eo-hex-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Lattice			
eo-ltt-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.


STANDARD SHAPES




Lazer




Leaf




Mediterranean



Pixelated Circles



Pixelated Squares




Rectangular Undulation

PART NUMBER	WIDTH	HEIGHT	THICKNESS
Lazer			
eoelzr-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Leaf			
eoelaf-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Mediterranean			
eoemed-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Pixelated Circles - Standard circle is 1" (25mm) diameter			
eoepxc-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Pixelated Squares - Standard square is 1" (25mm) x 1" (25mm)			
eoepxs-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Rectangular Undulation			
eoerec-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.


STANDARD SHAPES



Slotted



Small Triangle



Squares



Staggered



Star and Knot




String

PART NUMBER	WIDTH	HEIGHT	THICKNESS
Slotted			
eo-slt-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Small Triangle			
eo-smt-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Squares - Standard square is 1" (25mm) x 1" (25mm)			
eo-sqr-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Staggered			
eo-stg-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
Star and Knot			
eo-snk-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)
String			
eo-str-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES




Tilt


PART NUMBER	WIDTH	HEIGHT	THICKNESS
Tilt			
eo-tlt-4896	47.5" (1207mm)	95" (2413mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.


COMPONENTS



Panels



RECOMMENDED HARDWARE (NOT INCLUDED)



ezoTape

DST-010, DST-015, DST-020



Contractor grade adhesive

(not sold by most ezoBord distributors)



CUSTOMIZABLE PARAMETERS

Geometric Properties

Width and height

Color

Each 9mm layer can be manufactured with different color

Digital Print

Custom graphics and textures can be printed on panels



SPECIFICATIONS

Patterns

19 standard patterns available.

Sizes

Available in one size:

- 47.5" (1207mm) × 95" (2413mm)

Colors

15 standard colors.

Thickness

Available in one standard thickness:

- 3/8" (9mm)

Composition

100% Polyester (min 50% (+/-) recycled PET Fibre.

Product Variances


Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

Cleaning

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

Installation

ezo on ezo products can be hung unobtrusively through holes covered by ezoBord plugs, with double sided ezoTape or with any standard clear drying contractor grade adhesive.



Fire Testing

ASTM E-84 Class A / CAN ULC S102-10 / EN13501:1 2007 B,S1, D0.

Acoustics

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- 3/8" (9mm): NRC 0.75 (subject to mounting conditions and geometrical properties)
- 1/2" (12mm): NRC 0.85 (subject to mounting conditions and geometrical properties)

USGBC LEED v4 Credits

While individual products do not 'earn' LEED credits, ezoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).

Environment

Made with recycled polyester fibre, 50% +/- of which comes from recycled water bottles which contributes to LEED MR credit of Recycled content. No VOC's. ezoBord has an approved Environmental Product Declaration.



NOISE REDUCTION - 3/4" (18mm)

Constructed from


Two sheets of 3/8" (9mm)
ezoBord

SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.60	0.58	0.07	0.15	0.42	0.80	0.98	1.03

Divider Pattern

Galaxy




STANDARD COLORS - 3/8" (9mm)




PB09
PURE BLACK



CG06
CHARCOAL GRAY



ES07
EBONY SLATE




DG34
DARK GRAY




SG04
SILVER GRAY



CW04
CLASSIC WHITE



LB01
LIGHT BEIGE



DS10
DESERT SAND



SD18
SUNNY DAYS



TO24
TIGER ORANGE



RR28
RUBY RED



DP30
DEEP PURPLE



MN12
MIDNIGHT NAVY



PI14
POLAR ICE



GA41
GREEN APPLE